

FIR MAG RIP

Close mesh matting for small wheeled traffic

For busy industrial areas where hand trucks and small-wheeled vehicles are in use and liquids may be liable to be spilled. Firmagrip is a quality close mesh matting that is dense enough to prevent smaller components falling through, yet is so effective at drainage it carries the highest certification. Add to that excellent slip resistance and you've got a real winner.



BENEFITS

- Certified slip resistance DIN 51130: R11
- Excellent drainage DIN 51130: V10
- Ideal for small wheeled traffic
- Chemical, oil and acid resistant
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- Fire resistant
- Enhanced branding or styling


FEATURES

- Diamond cut pattern
- Two layer construction
- Close mesh construction
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Certified EN 13501: Cf1 - S1
- 3 standard colors

STANDARD COLORS



RED*



GREEN



BLACK

Other colors available on request.

* Red color is not colorfast in direct sunlight.

STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS**		
Firmagrip	9/16" (14mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

**Contact us for custom dimensions.





Plastex Mattinc Inc., 120 55th Street NE Fort Payne, AL 35967 U.S.A.
Sales Tel: 256.845.7725

Web: www.plastexmatting.com

PRODUCT DATA SHEET: FIRMAGRIP

SIZES & WEIGHTS

<i>All dimensions are nominal</i>	Height (in)	Length (ft)	Widths (ft)			Weight (lbs/sq.ft)
<i>Tolerances</i>	+/- 0.05"	0+1.0'	+/- 1/2"			
Firmagrip	9/16"	33'	2'	3'	4'	2.14



GENERAL

- APPEARANCES** Open grid "heelproof" design on a diamond cut surface
- COLORS** Available in homogenous standard colors; Green, Red, Black. Red color is not colorfast in direct sunlight. Other colors available on request.
- DURABILITY** One piece welded construction for maintenance free life.
- WORKABILITY** Available in rolls for ease of installation. Easy to cut to size and shape. Supplied in rolls with top ribs facing outwards. Requires inverting once rolled out prior to use.
- USES** All locations, both indoor and outside.

TECHNICAL DATA

- ACOUSTIC** Excellent sound absorption properties.
- CHEMICAL** Resistant to most acids, alkalines and oils. For specific chemical resistances, see www.plastexmatting.com/uploads/4/4/0/0/44003899/pvc-chemical-resistance.pdf
- COMPOSITION** Flexible Polyvinyl Chloride (PVC).
- ENVIRONMENT** It has been determined under the guidelines for the State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65), that no warning labels or information provision are required for Firmagrip.

Black color is made from post-industrial recycled PVC, always with a minimum content of 30% up to 100%.

Plastex does not use any substances currently included in the SVHC (Substances of Very High Concern) list under R.E.A.C.H.* in any matting products.
*Registration, Evaluation, Authorization and Restriction of Chemical substances

- HYGIENE** Non-porous 100% Virgin PVC - Inhibits the growth of bacteria.
- REVERSION** Thermoplastic shrinkage can result in size reductions up to 2%. Accelerated in hot environments. Refer to www.plastexmatting.com/uploads/4/4/0/0/44003899/vinyl-matting-dimensional-stability.pdf
- SLIP RESISTANCE** DIN 51130: R11, V10
- THERMAL** Functional -9°F + 140°F (slight size variation may occur at temperature extremes).
- UV LIGHT** Resistant to PVC degradation.
- WARRANTY** 4 years. See www.plastexmatting.com/uploads/4/4/0/0/44003899/warranty.pdf



Plastex Mattinc Inc., 120 55th Street NE Fort Payne, AL 35967 U.S.A.
Sales Tel: 256.845.7725

Web: www.plastexmatting.com

PRODUCT DATA SHEET: FIRMAGRIP

ANCILLARIES



9/16" x 2 1/2" x 33'
(14mm x 60mm x 10.1m)

2 1/2" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray



9/16" x 3 3/4" x 33'
(14mm x 100mm x 10.1m)

3 3/4" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray, Yellow



5/8" x 1 13/16" x 6'6"
(15mm x 45mm x 2m)

1 13/16" Aluminum edging strip

Supplied in sections of 6'6" (2m) length with fixing screws and plugs.

Color: Anodized Aluminum




9/16" x 8'2"
(14mm x 2.5m)

Snap Track

2 part snap track can be welded to join rolls end to end or side to side for large area covering. Supplied with welding paste.

Color: Dark Gray



Connector clips - Side to side

For joining sections of matting together side to side. Supplied in packs of 10.

