

# TUFF SPUN WEAR

Heavy duty top layer for improved traction

Economical alternative for medium duty applications.

With an increased foam thickness of almost 50% on Tuff Spun, and incorporating a top surface wear layer, Tuff Spun Wear provides extra comfort and improved durability.

The anti-fatigue mat is suitable for most medium duty retail and commercial environments.



## BENEFITS

Certified wear resistance **ASTM 4060:** <0.3 gram loss

Good slip resistance

Extra cushion comfort

Quick to install

## FEATURES

Heavy duty top layer

Embossed pebble surface

Increased foam thickness

Supplied in 60' (18m) rolls or standard modules

## STANDARD COLOR



DARK GRAY



## STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTION*	STANDARD MODULE OPTIONS*		
Tuff Spun Wear	9/16" (14mm)	3' x 60' (0.91 x 18m)	2' x 3' (0.6 x 0.91m)	3' x 5' (0.91 x 1.5m)	3' x 10' (0.91 x 3m)


\*Supplied with integral edging to 4 sides.

# PRODUCT DATA SHEET: TUFF SPUN WEAR

Jun-18

## SIZES & WEIGHTS

<i>All dimensions are nominal</i>	Height (in)	Length (ft)	Width (ft)	Module options (ft)	Weight (lbs/sq.ft)
<i>Tolerances</i>	<i>+/- 0.05"</i>	<i>0+1.0'</i>	<i>+/- 1/2"</i>		
Tuff Spun Wear	9/16"	60'	3'	2' x 3' 3' x 5' 3' x 10'	0.74



## GENERAL

APPEARANCES	Wear vinyl foam on a foam layer. Supplied with integral edging to 4 sides.
COLOR	Dark Gray
DURABILITY	Extruded vinyl foams.
WORKABILITY	Available in rolls for ease of installation. Easy to cut to size and shape.
USES	Added wear layer offers extra comfort and improved durability.

## TECHNICAL DATA

ACOUSTIC	Excellent sound absorption properties.
COMPOSITION	Vinyl foam.
THERMAL	Functional -9°F +140°F (slight size variation may occur at temperature extremes).
WARRANTY	1 year. See <a href="http://www.plastexmatting.com/uploads/4/4/0/0/44003899/warranty.pdf">www.plastexmatting.com/uploads/4/4/0/0/44003899/warranty.pdf</a>

## ANCILLARIES



9/16" x 2 1/2" x 33'  
(14mm x 60mm x 10.1m)

### 2 1/2" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.  
Colors: Black, Dark Gray, Dark Brown, Holly Green, Oxford Blue, Yellow



13/32" x 8'2"  
(10.5mm x 2.5m)

### Snap Track Low Profile

2 part snap track can be welded to join rolls end to end or side to side for large area covering. Supplied with cold welding paste.  
Colors: Black, Dark Gray



Sales Tel: 256.845.7725

Web: [www.plastexmatting.com](http://www.plastexmatting.com)

# PRODUCT DATA SHEET: TUFF SPUN WEAR

