


BAREFOOT & WETSIDE SAFETY MATTING



Cutting-edge matting and flooring for safety,
hygiene and comfort underfoot – inside and out.

plastexmatting.com





Barefoot & wetside

Safety matting

About Plastex	2
Plastex and the environment	3
Quality	4
Why barefoot and wetside matting?	5
Heronrib	8
Herontile	10
Floorline	12
Floorline Water Polo	14
PillogriD	16
Ancillaries	18
Design, manufacturing and testing	20
Warranty	21

ABOUT PLASTEX

We're proud to be a family-run business that spans three generations.

We have over 50 years' experience designing and manufacturing cutting-edge matting and flooring that enables everyone to become safer, more profitable and more productive across their work, education and recreation environments.

We're dedicated to finding a matting solution for every need.

We know our products inside out, and we're passionate about using this knowledge and experience to help you find the perfect solution for your needs and environment. If we can't meet your requirements from our core range, we'll work tirelessly to design a custom solution that does.

We work around the clock to deliver world-class service and innovative products.

We have a team of 70 across two sites in Alabama, USA, and Essex, UK, that service over 60 countries all over the world through our distributor network. Our products sit at the forefront of matting technology, and we're proud to be ISO 9001:2015 certified.



David O'Sullivan
Managing Director



Peter O'Sullivan
Sales Director



Plastex Matting Inc, Alabama, USA
Founded in 1998 as a manufacturer of PVC matting.

Plastic Extruders Ltd, Essex, UK
Founded in 1962 as a general extrusion manufacturer.

PLASTEX AND THE ENVIRONMENT



We strive for sustainability in everything we do.

As a global supplier with manufacturing plants in the USA and the UK, we constantly seek to reduce the environmental impact of our manufacturing processes.


- > All of our black PVC matting is manufactured with our post-industrial recycled material. The recycled content averages at least 30%, but we strive for 100% where possible.
- > We're careful to select raw materials that are environmentally approved and certified, and we minimize the use of packaging on all goods.
- > To further minimize impact and avoid waste, we don't throw away any materials. All our factory trimmings and production process scrap are re-used in our own production. And we never re-sell material to third party reproducers.
- > In accordance with REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), we don't use any substances currently included on the SVHC (Substances of Very High Concern) list, including "DEHP" Di(2-ethylhexyl) phthalate, also known as Di-octyl phthalate (DOP), plasticizer.

Read our full environment policy at plastexmatting.com/us/policies

We make our matting – and that makes all the difference

When you purchase Plastex, you're investing in extensive know-how that comes from over 50 years of designing, testing and manufacturing matting solutions for a huge range of applications and industries.

That's why we offer three levels of service:




GENERAL

We design and manufacture an extensive range of multipurpose matting for all kinds of environments and needs. Whether you're looking to prevent slips and trips, give your employees comfort underfoot, protect delicate items from damage or ensure dirt removal in busy buildings, we have you covered.



SPECIALIST

Over the last 50 years, we've had the privilege of working with many of our customers to develop matting that meets specific needs. Many of these specialist mats have become part of our core product range.



BESPOKE

We realize that not every flooring need can be solved with a product from our core range, so if we can't exactly meet your requirements, we'd love to talk to you about creating a custom solution. Get in touch with your local distributor with what you need – and we'll do our best to make it for you.

Quality guaranteed

We brand stamp all our matting to give you the confidence you're buying a genuine Plastex product.



Why barefoot & wetside matting?

The perfect combination of slip resistance, superior hygiene and comfort underfoot, our barefoot and wetside matting can be used in a wide range of environments, from gyms and recreation centers to swimming pools and bathing areas.

Superior slip resistance

The non-porous construction is naturally resistant to oils and chemicals, while the etched surface creates traction underfoot, helping to prevent accidents.

Continuous hygiene

All of our barefoot matting contains permanent antimicrobial and antifungal additives, which helps protect against fungal and bacterial contamination.

Perfect for indoors or out

All of our rolled barefoot matting is UV resistant, so can be used outside or inside with no risk of fading.

Easy installation

You can choose from rolls that can be loose laid or in interlocking tiles, so installation is quick and easy. And the lightweight construction means the matting can be quickly and easily lifted for cleaning and storage.


Our barefoot & wetside matting is specifically designed to:

- > Reduce slip and fall accidents
- > Protect from fungal and bacterial contamination
- > Provide underfoot comfort

Which Plastex product is right for you?

This chart will help you choose the right mat for your needs, but if you have any questions, contact us – we'll be delighted to help.

WET AREA SAFETY MATTING					
Product & Usage	Slip Resistance	Wear	Hygiene	Drainage	Comfort
Heronrib For extensive barefoot traffic. Use inside or out.	●●●○	●●●●	●●●●	●●●●	●●●●
Floorline For drier walkways. Use inside and out.	●●●○	●●○○	●●●●	●●○○	●●●○
Floorline Water Polo For water polo field marking and slip resistance.	●●●○	●●○○	●●●●	●●○○	●●●○
Herontile For large wet areas. Use inside.	●●●○	●●●○	●●●●	●●●○	●●●●
WET AREA IMPACT MATTING					
PillogriD Phenomenal drainage with a soft landing.	●○○○	●●●○	●●○○	●●●○	●●●○





HERONRIB

Self-draining barefoot matting designed for wet areas with high traffic.

Keep bathing and washing areas safe with Heronrib, the ultimate slip-resistant sports and recreation matting designed to withstand extensive barefoot traffic.

Made from strong, non-porous PVC with channelled underbars, Heronrib automatically self-drains – even when faced with large amounts of water. Its embossed surface provides a strong grip underfoot, while the antimicrobial and antifungal additives ensures excellent hygiene.

This winning combination makes it the ideal slip-resistant matting for swimming pools, jacuzzis, saunas and gyms.

Flexible format











Supplied in 33' (10m) rolls, can be used indoor or outdoor.

Simple installation


Easy to cut to fit on site, contours to uneven surfaces.

Easy to maintain

Hygienic, hard-wearing, easy to roll and UV resistant.

FEATURES		BENEFITS	
	Embossed surface		Certified slip resistance (DIN 51097: C; ASTM I 677: 0.9/0.7)
	Two-layer construction and channelled underbars		Four-way drainage
	Antimicrobial and antifungal additives		Excellent hygiene, easy to clean
	Made from flexible PVC		Easy to cut to fit; contours to uneven surfaces
	UV resistant		Can be used indoor or outdoor

STANDARD SIZES			
Product	Height	Standard roll options	Weight
Heronrib	13/32" (10.5mm)	33' x 2' (10 x 0.6m) 33' x 3' (10 x 0.91m) 33' x 4' (10 x 1.22m)	1.10 lb/sq.ft (5.5 kg/m2)



Contact us for bespoke dimensions.

STANDARD COLORS



Oxford blue



White



Ocean blue



Green



Charcoal gray



Buff




Mulberry red*

More colors available on request

*Mulberry red color is not suitable in direct sunlight.

Please visit plastexmatting.com/heronrib for more information about this product.



HERONTILE

Slip-resistant, barefoot tiles designed to cover large areas seamlessly and easily.

With its click-together joining mechanism and PVC ramped edging, Herontile is perfect for large areas with lots of barefoot traffic.

Made from soft Ethylene Vinyl Acetate and standing at 5/8" (15mm) tall, the tiles are designed to deliver extra comfort and excellent drainage. The embossed surface provides a strong grip underfoot, while the antimicrobial and antifungal additives ensures excellent hygiene.

This winning combination makes Herontile the ideal slip-resistant tiles for swimming pools, gyms and recreation centers.

Flexible format









Comes in a 13" x 13" (33 x 33cm) standard tile size.

Simple installation


Tiles easily and securely lock together.

Easy to maintain

Can be lifted for easy cleaning.

FEATURES		BENEFITS	
	Embossed surface		Certified slip resistance (DIN 51097: C)
	Elevated 5/8" (15mm) height		Excellent drainage
	Antimicrobial and antifungal additives		Excellent hygiene
	Tiles easily and securely click into place		Seamless coverage of large areas

STANDARD SIZES			
Product	Height	Standard tile size	Weight
Herontile	5/8" (15mm)	13" x 13" (33 x 33cm)	0.82 lb/sq.ft (4.5 kg/m2)



Available in packs of 27 tiles.

STANDARD COLORS



More colors available on request

Please visit plastexmatting.com/herontile for more information about this product.



FLOORLINE

Lightweight, slip-resistant matting designed for areas where water is present and spills are frequent.

One of our bestsellers, Floorline is perfect for any environment where liquid is present and cushioning is needed underfoot.

The mat's open grid and embossed surface provides the highest slip resistance and drainage, making it an ideal walkway for slippery environments. The antifungal properties protects bare feet in locker rooms and swimming pool surrounds.

Made from a single tier of flexible PVC, Floorline is incredibly lightweight, making it easy to carry, move and lift for cleaning.

Flexible format











Comes in 33' (10m) rolls; can be used indoors or outdoors.

Simple installation

Easy to cut on site; contours to uneven surfaces.


Easy to maintain

Light to handle; easy to clean.


FEATURES		BENEFITS	
	Etched surface		Certified slip resistance (DIN 51130: R11, DIN 51097: C, ASTM 1677: 1.0/0.8)
	Open-grid construction		Excellent drainage (DIN 51130: V10)
	Antimicrobial and antifungal additives		Excellent hygiene, easy to clean
	Made from non-porous, flexible PVC		Contours to uneven surfaces
	Comes in 33' (10m) rolls		Quick to install

STANDARD SIZES			
Product	Height	Standard roll options	Weight
Floorline	1/4" (6mm)	33' x 2' (10 x 0.6m) 33' x 3' (10 x 0.91m)	0.76 lb/sq.ft (3.70 kg/m2)

Contact us for bespoke dimensions.



STANDARD COLORS



Please visit plastexmatting.com/floorline for more information about this product.



FLOORLINE WATER POLO

Slip-resistant poolside matting with brightly colored field markings.

Define your water polo field quickly and easily with Floorline Water Polo, a tri-colored 49' (15m) roll that's seamless to install, light to carry and easy to store.

The mat's etched surface provides excellent slip resistance, while the open grid with channelled bars delivers the highest level of drainage, ensuring the poolside remains safe for players and referees. Antimicrobial and antifungal additives keeps the mat hygienic and protects bare feet.

Flexible format










Comes in a 49' roll (green 33', yellow 10', red 6'7").

Simple installation


Quick to lay down for field set-up.

Easy to maintain

Light to carry and store; easy to clean.

FEATURES		BENEFITS	
	Etched surface		Certified slip resistance (DIN 51130: R11, DIN 51097: C, ASTM 1677: 1.0/0.8)
	Open-grid construction		Excellent drainage
	Antimicrobial and antifungal additives		Excellent hygiene, easy to clean
	Comes in one 49' (15m) roll		Quick to install
	UV resistant		Can be used indoor and outdoor

STANDARD SIZES			
Product	Height	Standard roll options	Weight
Floorline Water Polo	1/4" (6mm)	49' x 2' (15m x 0.6m) Red 6'7" (2m) Yellow 13'1" (4m) Green 29'6" (9m) (supplied in 1 roll)	0.76lb/sq.ft (3.7kg/m2)
		49' x 3' (15m x 0.91m) Red 6'7" (2m) Yellow 13'1" (4m) Green 29'6" (9m) (supplied in 1 roll)	



Contact us for bespoke dimensions.

STANDARD COLORS



Red*/Yellow/Green

*Prolonged exposure to direct sunlight may cause red to fade

Please visit plastexmatting.com/floorline-water-polo for more information about this product.



PILLOGRID

Cushioning matting to protect surfers while riding wave simulators.

Designed specifically to be placed over the metal grates at the back and front of surfing machines, PillogriD helps protect surfers while riding wave simulators.











A large open grid means exceptional drainage, while the soft vinyl and hollow tube construction provides extra cushioning and a safe landing. The large roll format removes the need for joints in action areas.

Flexible format
Supplied in rolls or factory welded panels for quick and easy installation.

Simple installation
Easy to trim to fit, contours to the subsurface.


Easy to maintain
Hygienic, hard-wearing and UV resistant.



FEATURES	BENEFITS
 Hollow tube construction	 Soft landing
 Large open grid format	 High volume drainage
 "D" profile for maximum weld strength	 Highly resistant and hard-wearing
 Supplied in rolls or fabricated panels	 Quick to install
 UV resistant	 Can be used indoor or outdoor

STANDARD SIZES			
Product	Height	Standard roll options	Weight
PillogriD	3/4" (20mm)	33' x 3' (10 x 0.91m) 33' x 3'3" (10 x 1m)	1.45 lb/sq.ft (7.1 kg/m2)

Contact us for bespoke dimensions.



STANDARD COLORS



Blue



Black


More colors available on request

Please visit plastexmatting.com/pillogrid for more information. about this product.

BAREFOOT & WETSIDE

Ancillaries


HERONRIB



PVC EDGING (H: 3/8", W: 2")

Supplied in rolls of 33' (10.1m) length with cold welding paste.


Size: 3/8" x 2" x 33' (10mm x 50mm x 10.1m)
Colors: Black and dark gray.



PVC SNAP TRACK (H: 3/8")

Two-part snap track that can be welded together to join rolls end-to-end or side-to-side to cover large areas. Supplied with cold welding paste.

Size: 13/32" x 8'2" (10.5mm x 2.5m)
Colors: Dark gray and black.



CONNECTOR CLIPS: DUAL PURPOSE (H: 9/16")

For joining sections of matting together side-to-side or end-to-end. Supplied in packs of 10.

Size: 9/16" (14mm)


HERONTILE



EVA HERONTILE EDGING

Snap-on edging supplied in 13" (33cm) lengths.

Size: 5/8" x 2 3/4" x 13" (15mm x 7cm x 33cm)
Colors: Dark gray and ocean blue.




PILLOGRID

BESPOKE PANELS

PillogriD is available in rolls for on site fabrication and installation. Alternatively, we can supply factory fabricated panels in one piece that allows for quick and easy unrolling and installation. Due to shipping and handling restrictions, the maximum dimension of these panels is 16' (5m) on the shorter side.





Testing and measurement



To ensure we maintain the highest standards expected by our customers, we subject our products to the rigors of scientific testing. This includes external testing through international bodies, and if an external test doesn't exist, we'll commission a university research project.



Underfoot solutions

We design and manufacture over 45 matting and flooring products.

To make it easier for you to choose the right mat for the right reason, we've divided our range into five sections. Simply pick the section that best suits your needs, and then use the segmentation chart at the front of each section to help you make your final choice.



Talk to us

Whether you're looking to prevent slips and trips, provide comfort underfoot, protect delicate items from damage or ensure dirt removal in busy buildings, we have you covered with a wide range of products.

Get in touch with your local distributor or send us a message at plastexmatting.com – we're here to help.


Full manufacturer warranty

All our products are designed to live a long life. In the unlikely event that a Plastex product has a defect in workmanship, we offer a full refund or replacement warranty.

The warranty periods vary depending on the product – see full terms and details at plastexmatting.com/policies

We're proud to be a third-generation business with over 50 years' experience designing and manufacturing cutting-edge matting and flooring.

See our entire range at **plastexmatting.com**



For more information about our products, please call **+1 256 845 772**
or email **sales@plastexmatting.com**

Contact us:

Plastex Matting Inc.

120 55th Street NE
Fort Payne, AL 35967
USA

Tel: +1 256 845 772

Plastic Extruders Ltd.

Russell Gardens, Wickford
Essex, SS11 8DN
UK

Tel: +44 (0)1268 571116

