April 2017

Workplace

SLIP RESISTANT MATTING



www.plastexmatting.com



Plastic Extruders Ltd.



stex

Our Mission A Mat for All Reasons

Our mission is to add to our distributors, and in turn their customers, profitability, safety, productivity and style by designing and manufacturing cutting edge matting for all work, education and leisure environments.

Our Values

Founded in 1962, Plastic Extruders Ltd (Plastex) are a second generation family run firm with long serving employees who take personal responsibility for maintaining the highest service standards and delivering the right solution on time and on budget.

Working with you to meet your needs

• Through our design and innovation programme we work with our customers to constantly improve the form, function and cost effectiveness of our products.

So, though we have an extensive range suitable for most applications, we often fulfill individual customer needs by producing bespoke solutions. If you feel you may have one we would be pleased to hear from you.



PETER O'SULLIVAN DAVID O'SULLIVAN Sales Director Managing Director

Plastic Extruders Ltd UK & Plastex Matting Inc USA





Follow Plastex Matting on:






Plastex and the environment

As a global supplier with manufacturing plants in the UK

and the USA, we constantly seek to reduce the environmental impact of our manufacturing processes. For example, all our black matting is made with up to 100% post-industrial recycled material, but always with a minimum content of 30%.



To further minimise impact and avoid waste, we don't throw away any materials. All our factory trimmings and production process scrap are re-used in our own production. We do not re-sell any material to 3rd party reprocessors.

In compliance with REACH regulation

The 2007 European Community REACH regulation (Registration, Evaluation, Authorisation and Restriction of Chemicals) gives manufacturers the responsibility of providing high level human and environmental protection from the use of chemicals in manufacturing.

Plastex does not use any substances currently included on the SVHC (Substances of Very High Concern) list under REACH, including "DEHP" Di(2-ethylhexyl) phthalate, also known as Di-octyl phthalate (DOP), plasticiser.

Further information can be found at www.plastexmatting.com.

Matting & flooring manufactured in Europe and the USA.

- Distributed worldwide



Ensure you have been supplied with a genuine Plastex product



To avoid plagiarism, today we emboss the trademarked names on the underside of our grid matting.

Testing and Measurement

In our constant pursuit of excellence, we subject our products to the rigors of scientific testing. This includes external testing through international bodies, but we don't stop there. If an external test doesn't exist, we will commission a University research project. Plastex continually strives to ensure we maintain the highest standards expected by our customers worldwide.

Plastex

Three levels of service

Once we've established your exact need, we'll recommend the product that is right for you, from our three levels of service.

General Purpose

We have an extensive range of general purpose matting designed for various environments. So whether you're looking for comfort, slip resistance, soil removal or increased hygiene, we will have the product for you.

Specialist

We have also built up a full range of products for demanding specialist environments such as light and heavy industrial, as well as food preparation both big and small.

Bespoke

If we can't exactly meet your needs from our current range, we will design and manufacture a mat specifically for you.

Whatever your requirements we will put all our knowledge and care into delivering exactly the mat you need, on time and on budget - 'A mat for all reasons'.

Why Slip Resistant Matting?

Statistics issued by the UK's HSE (Health & Safety Executive) show slipping and tripping to be the single most common cause of injuries in the UK workplace. These statistics are consistent in most markets globally confirming slips, trips and falls being the major workplace hazard.

Our slip resistant matting products are specifically designed to:

- Improve safety underfoot
- Reduce slip, trip and fall accidents
- Remove spillages and debris from the working area
- Thermal and acoustical enhancement

Plastex slip resistant matting range features a combination of PVC construction, etched surfaces for improved slip resistance, animal fat and oil resistant properties, 100% recycled PVC products and many more...

Which Plastex product is right for you?

The chart below will help you choose the right mat for the right reasons, but if you have any questions contact us - we'll be delighted to help.

PRODUCT	SLIP RESISTANCE	WEAR	COMFORT	DRAINAGE/ SPILLAGE	SITUATION	USAGE
		GENE	RAL PURI	POSE		
Vynagrip Vynagrip Plus Vynagrip Modules p. 4-6	ホホホホ	- AAR	****		₩	Hard wearing, heavy usage, long term.
Heronair p. 7	ጙኊኊ	-448 -448	8888			Cushions against breakages, good general purpose.
Floorline p. 8	ጙኊኊ	-4660 -6660	****		▋▟▎ᢩᡟᢩ᠉ᢪ	ldeal for light usage and cushioning.
Plastex Chex p. 12	***		****			For coverage of large areas.
Plastex Lok p. 13	ጙኊኊ		****			For coverage of large areas with likelihood of spillage.
Trackgrip p. 14	ホホホ	- HARRI	****			Hard wearing, large debris, long term.
	W	ORKSH	ОР / ТОО	L ROOM		
Flexigrid p. 10	ホホホホ		****		*	Larger components, debris, swarf and heavy spillage.
Firmagrip p. 11	ホホホホ		****			Close spaced grid, smaller components and wheeled traffic.
	FOO	D PROC	ESSING /	КІТСНЕ	IN S	
Herongripa p. 9	ネネネ	-464	****		, .	Large format grid for intensive food processing.

VYNAGRIP

The ultimate slip resistant matting solution

Automatic drainage combined with an extra aggressive diamond tread surface for increased slip resistance make Vynagrip especially effective wherever oil, water, liquid and debris spillages are likely.

Increase safety, comfort and productivity in the workplace with Vynagrip. Vynagrip offers a slip resistant, anti-fatigue matting solution which can be relied upon to perform in wide ranging heavy duty commercial and industrial applications.

Vynagrip is made from 2 layers of non-porous, flexible PVC that are welded together to create extra strong joints. It is available in rolls or modules with accessories to suit all needs (see page 15).



BENEFITS


Certified slip resistance DIN 51130: RII - ASTM 1677: 1.0/0.9
Excellent drainage DIN 51130: V10
Chemical, oil and acid resistant
Environmentally-friendly
Easy to cut on site, contours to uneven surfaces
Quick to install
Boost productivity
Fire resistant




FEATURES

Diamond cut pattern
Two layer construction
Non-porous PVC (impermeable to fluids)
Black Vynagrip: 100% recycled material
Made from flexible PVC
Supplied in 10m rolls or ramped modules
Proven and tested anti-fatigue properties
Certified EN 13501: Cfl - SI

STANDARD COLOURS







* Red colour is not colourfast in direct sunlight.

STANDARD SIZES

PRODUCT	FACTORY	HEIGHT	STAN	DARD ROLL OF	PTIONS**
Vynagrip	UK	I 5mm (5/8")	5 x 0.6m (16'6'' x 2')	5 x 0.91m (16'6'' x 3')	5 x 1.22m (16'6'' x 4')
Vynagrip	UK/USA	I 5mm (5/8")	10 x 0.6m (33' x 2')	10 x 0.91m (33' x 3')	10 x 1.22m (33' x 4')

**Contact us for bespoke dimensions.

BLACK VYNAGRIP

An environmentally-friendly product made from 100% recycled material, giving a 10% lower purchase price.

Other Vynagrip colours available on request.



VYNAGRIP PLUS



A hard wearing PVC grid matting to mark routes and delineate areas.

With the same specifications as Vynagrip, a slip resistant, anti-fatigue matting solution which can be relied upon to perform in wide ranging heavy duty commercial and industrial applications, Vynagrip Plus matting has yellow bands for extra safety and demarcation.

The matting is made from 2 layers of non-porous, flexible PVC that are welded together to create extra strong joints. It is available in rolls with accessories to suit all needs.





BENIFFITS

BENEFITS	FEATURES
Certified slip resistance DIN 51130: R11 - ASTM 1677: 1.0/0.9	Diamond cut pattern
Excellent drainage DIN 51130: V10	Two layer construction
Marks routes and delineates areas	Yellow bands running length of mat
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Easy to cut on site, contours to uneven surfaces	Made from flexible PVC
Quick to install	Supplied in 10m rolls
Boost productivity	Proven and tested anti-fatigue properties
Fire resistant	Certified EN 13501: Cfl - SI

STANDARD COLOUR



STANDARD SIZES

PRODUCT	HEIGHT	STAN	DARD ROLL OP	TIONS*
Vynagrip Plus	I 5mm	10 x 0.6m	10 x 0.91m	10 x 1.22m
	(5/8")	(33' x 2')	(33' x 3')	(33' x 4')

*Contact us for bespoke dimensions.



5

VYNAGRIP MODULES

Reducing slips and standing fatigue at work

Hard wearing PVC grid matting modules providing comfort and slip resistance.

Vynagrip matting is also available in standard size modules with fitted edging on 3 sides to identify work areas, prevent hazards and fit snuggly against work stations.

Vynagrip is made from 2 layers of non-porous, flexible PVC that are welded together to create extra strong joints. Its diamond tread surface and proven anti-fatigue properties make it one of the most suited mats for reducing standing fatigue, whilst improving comfort in work environments.





BENEFITS

DEINEITTO	
Certified slip resistance DIN 51130: RII - ASTM 1677: 1.0/0.9	Diamond cut pattern
Excellent drainage DIN 51130: V10	Two layer construction
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Contours to uneven surfaces	Made from flexible PVC
Fits snugly against work surfaces	Supplied with fitted edging on 3 sides
Boost productivity	Proven anti-fatigue properties
Fire resistant	Certified EN 13501: Cfl - SI
Quick to install	2 standard sizes with factory fitted edging

FEATURES

STANDARD COLOURS






BLACK with GREY edging

Other colours available on request.

STANDARD MODULE SIZES

PRODUCT	HEIGHT	STANDARD MOD	ULE OPTIONS*
Vynagrip Modules	I5mm	I.2 × 0.8m	I.5 x I.m
	(5/8")	(4'× 2'5'')	(5' x 3'3")

* Supplied with factory fitted edging on 3 sides.



HERONAIR

A hardwearing and versatile work horse

Heronair is an economical, tubular constructed matting for general purpose applications that provides excellent slip resistance and insulation.

Heronair's hollow construction uses less material, so it is also light to move and easy to lift for cleaning purposes.

It is especially effective wherever there is a risk of water and spillages underfoot as it is also highly slip resistant (R11 under DIN 51130 testing).





BENEFITS	FEATURES
Certified slip resistance DIN 51130: RII - ASTM 1677: 0.6/0.6	Etched pattern
Excellent drainage DIN 51130: VIO	Two layer construction
Fatigue-reducing and insulating	Hollow construction
Chemical, oil and acid resistant	Non-porous PVC
Easy to cut on site, contours to uneven surfaces	Made from flexible PVC
Quick to install	Supplied in 10m rolls
Fire resistant	Certified EN 13501: Cfl - SI
Environmentally-friendly	Made from 100% recycled material

STANDARD COLOUR




Other colours available on request.

STANDARD SIZES

PRODUCT	FACTORY	HEIGHT	STAND	DARD ROLL OPT	TIONS [*]
Heronair	UK	I0mm (3/8")	10 x 0.5m (33' x 1'8'')	I0 x 0.75m I0 x Im (33' x 2'5") (33' x 3'3")	
Heronair	USA	10mm (3/8")	10 x 0.6m (33' x 2')	10 x 0.91m (33' x 3')	10 x 1.22m (33' x 4')

*Contact us for bespoke dimensions.



For ancillaries offered, please see page 15

Light, economical and comfortable

Economical and multi-purpose, Floorline matting has wide ranging uses in light industrial and commercial applications where an attractive, slip resistant and cushioned matting is required.

The cushioning effect of Floorline reduces the risk of damage to items that are accidentally dropped whilst its open grid format dissipates spillages and permits easy drainage.

This effective combination makes Floorline a popular matting for clubs, restaurants, bars and hospitality areas where staff have to stand, spills are likely and breakages possible.






BENEFITS

Certified slip resistance DIN 51130: RII & C ASTM 1677: 1.0/0.8	Etched pattern
Excellent drainage DIN 51130: V10	Open grid construction
Easy to clean	Non-porous PVC (impermeable to fluids)
Easy to cut on site, contours to uneven surfaces	Made from flexible PVC
Quick to install	Supplied in 10m rolls
UV resistant	Can be used indoor or outdoor*
Fire resistant	Certified EN 13501: Cfl - SI
Enhanced branding or styling	5 standard colours

FEATURES

STANDARD COLOURS



Other colours available on request.

STANDARD SIZES

PRODUCT	HEIGHT	STANDARD F	ROLL OPTIONS**
Floorline	6 mm	10 x 0.6m	10 x 0.91m
	(1/4")	(33' x 2')	(33' x 3')

**Contact us for bespoke dimensions.

* Red colour is not colourfast in direct sunlight.

HERONGRIPA



Vinyl matting resistant to animal fat and oils

Developed primarily for the food processing and preparation industries, Herongripa is a specialised vinyl matting solution, which is hygienic and animal fat resistant.

The wide spaced open grid format allows waste and spillages to fall through, keeping the standing area free of slippery and potentially hazardous matter. The one piece hardwearing vinyl roll format allows for ease of rolling up during cleaning routines.




BENEFITS

- K

FEATURES

Certified slip resistance DIN 51130: RII ASTM 1677: 0.8/0.7	Diamond cut pattern
Excellent drainage DIN 51130: V10	Two layer construction
Tough vinyl for food processing areas	Animal fat resistant DINP plasticised PVC
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
One piece covering	Supplied in 10m rolls
Continuous hygiene	Anti-fungal and anti-bacterial additives
Efficiently removes spillages	Large open grid format

STANDARD COLOUR




TERRACOTTA

STANDARD SIZES

PRODUCT	FACTORY	HEIGHT	STAND	ARD ROLL OP	TIONS*
Herongripa	UK	I 5mm (5/8")	5 x 0.6m (16'6'' x 2')	5 x 0.91m (16'6'' x 3')	5 x 1.22m (16'6'' x 4')
Herongripa	UK/USA	I 5mm (5/8")	10 x 0.6m (33' x 2')	10 x 0.91m (33' x 3')	10 x 1.22m (33' x 4')

*Contact us for bespoke dimensions.



9

D

Tough at work, gentle on the environment

For the toughest industrial applications where high levels of liquids and debris are generated by manufacturing and production processes.

Combining higher elevation with an open grid and an aggressive grip surface, Flexigrid delivers slip resistance and drainage where spillage, debris and metal shards are an issue.





BENEFITS

BENEFITS	FEATURES
Certified slip resistance DIN 51130: RII - ASTM 1677: 0.6/0.5	Diamond tread surface
Excellent drainage DIN 51130:VIO	Two layer construction
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Easy to cut on site, contours to uneven surfaces	Made from flexible PVC
Quick to install	Supplied in 10m rolls
Boost productivity	Proven anti-fatigue properties
Environmentally friendly	Made from 100% recycled material
Fire resistant	Certified EN 13501: Cfl - SI

STANDARD COLOUR



BLACK

STANDARD SIZES

PRODUCT	HEIGHT	STANDARD R	OLL OPTIONS*	STANDARD MC	DULE OPTIONS*
Flexigrid	20mm (3/4")	5 x 0.6m (16'6" x 2')	5 x 0.91m (16'6'' x 3')	1.8 x 0.6m (6' x 2')	1.8 x 0.91m (6' x 3')
Flexigrid	20mm (3/4")	10 x 0.6m (33' x 2')	10 x 0.91m (33' x 3')		

(((((() NEERA->>>))))

*Contact us for bespoke dimensions.

C

Close mesh matting for small wheeled traffic

For busy industrial areas where trolleys and small-wheeled vehicles are in use and liquids may be liable to be spilled.

Firmagrip is a quality close mesh matting that is dense enough to prevent smaller components falling through, yet is so effective at drainage it carries the highest certification. Add to that excellent slip resistance and you've got a real winner.





BENEFITS

Diamond cut pattern
Two layer construction
Close mesh construction
Non-porous PVC (impermeable to fluids)
Made from flexible PVC
Supplied in 10m rolls
Certified EN 13501: Cfl - SI
3 standard colours

FEATURES

STANDARD COLOURS





RED*



BLACK

* Red colour is not colourfast in direct sunlight.

STANDARD SIZES

PRODUCT	HEIGHT	STAND	ARD ROLL OPT	IONS**
Firmagrip	14mm	10 x 0.6m	10 x 0.91m	10 x 1.22m
	(9/16")	(33' x 2')	(33' x 3')	(33' x 4')

**Contact us for bespoke dimensions.




PLASTEX CHEX

100% recycled heavy duty checker plate PVC tiles

Plastex Chex is a hard wearing tiling system, delivering long life and value for money.

It can be used as a temporary or permanent flooring solution for coverage of large areas in the workplace, such as work stations, finishing/assembly areas, laboratories, localised workcells and storage areas.





BENEFITS

Slip resistant and hard wearing	Checker plate surface
Insulating and chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Quick to install	Interlocking jigsaw tiles
Environmentally-friendly	Made from 100% recycled material
REACH compliant	Made with certified recycled material
Finished areas	PVC ramped edging

FEATURES

STANDARD COLOUR



BLACK

STANDARD SIZES

PRODUCT	HEIGHT	STANDARD TILE SIZE
Plastex Chex	I4mm (9/16")	0.5 x 0.5m (1'8" × 1'8")

Available in packs of 16 tiles



PLASTEX LOK

100% recycled heavy duty open grid PVC tiles

Plastex Lok is a hard wearing open grid tiling system, delivering long life and value for money.

It can be used as a temporary or permanent flooring solution for coverage of large areas in the workplace with the likelihood of heavy spillage, such as work stations, finishing/assembly areas, laboratories, localised work cells and machine shops.





BENEFITS

Certified slip resistance DIN 51130: R12	Pimpled surface
Excellent drainage DIN 51130: VI0	Raised construction
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Quick to install	Interlocking tiles
Environmentally-friendly	Made from 100% recycled material
Easy to cut on site, contours to uneven surfaces	Made from flexible PVC
Finished areas	PVC ramped edging

FEATURES

STANDARD COLOUR



BLACK

STANDARD SIZES

PRODUCT	HEIGHT	STANDARD TILE SIZE
Plastex Lok	l 6mm (5/8")	0.5 x 0.5m (1'8" x 1'8")

Available in packs of 16 tiles



R A G

Wide space open grid slip resistant matting

For greasy and grimy environments.

This highly slip resistant matting is very effective wherever oils or greasy materials are spilled. A wide grid design allows for better drainage and fall through, keeping the surface free from potentially dangerous slip hazards. Trackgrip was developed for railway maintenance areas but is highly effective in most greasy and grimy environments.






BENEFITS

BENEFITS	FEATURES
Certified slip resistance DIN 51130: RII ASTM 1677: 0.9/0.7	Diamond cut pattern
Excellent drainage	Two layer construction and extra wide spacing
Chemical, oil and acid resistant	Non-porous PVC (impermeable to fluids)
Easy to clean with a high pressure hose	Made from flexible PVC
Quick to install	Supplied in 10m rolls
Fire resistant	Certified EN 13501: Cfl - SI


Trackgrip Plus

Trackgrip with the additional benefit of yellow bands to mark routes and delineate areas.

STANDARD COLOUR




BLACK



STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		
Trackgrip	I5mm	10 x 0.6m	10 x 0.91m	10 x 1.22m
	(5/8")	(33' x 2')	(33' x 3')	(33' x 4')
Trackgrip Plus	I 5mm	10 x 0.6m	10 x 0.91m	10 x 1.22m
	(5/8")	(33' x 2')	(33' x 3')	(33' x 4')

*Contact us for bespoke dimensions.



Ancillaries for Workplace slip resistant products

Firmagrip

-----14mm x 60mm x 10.1m (9/16" x 2 1/2" x 33')

mmmml 14mm x 100mm x 10.1m (9/16" x 3 3/4" x 33')

179 15mm x 45mm x 2m (5/8" x | 13/16" x 6'6")

60mm PVC edging strip

Supplied in rolls of 10.1m (33') length with cold welding paste. Colours: Black, Dark Grey, Dark Brown, Holly

Green, Oxford Blue, Yellow

100mm PVC edging strip

Supplied in rolls of 10.1m (33') length with cold welding paste.

Colours: Black, Dark Grey, Yellow

45mm Aluminium edging strip

Supplied in sections of 2m (6'6") length with fixing screws and plugs.

Colours: Anodised Aluminium, Powder Coated Yellow



Connector clips - side to side

For joining sections of matting together side to side. Supplied in packs of 10.



(9/16" x 8'2")

Snap Track

2 part snap track can be welded to join rolls end to end or side to side for large area covering. Supplied with cold welding paste. Colour: Dark Grey

Herongripa & Trackgrip

----14mm x 60mm x 10.1m (9/16" x 2 1/2" x 33')

60mm PVC edging strip Supplied in rolls of 10.1m (33') length with cold

100mm PVC edging strip

45mm Aluminium edging strip Supplied in sections of 2m (6'6") length with

fixing screws and plugs.

Colours: Anodised Aluminium,

welding paste. Colours: Black, Dark Grey, Dark Brown, Holly Green, Oxford Blue, Yellow

mmmml 14mm x 100mm x 10.1m

Supplied in rolls of 10.1m (33') length with cold welding paste. (9/16" x 3 3/4" x 33') Colours: Black, Dark Grey, Yellow

15mm x 45mm x 2m (5/8" x 1 13/16" x 6'6")



Connector clips - dual purpose For joining sections of matting together side to side or end to end. Supplied in packs of 10.

Powder Coated Yellow

Small floor hook For securing sections of matting to floor. Supplied in packs of 10 with screws and plugs.

Heronair

10mm x 50mm x 10.1m (3/8" x 2" x 33')

50mm PVC edging strip Supplied in rolls of 10.1m (33') length with cold welding paste.

Colours: Black. Dark Grey.

Snap Track - Low Profile

Supplied with cold welding paste.

Colour: Dark Grey





2 part snap track can be welded to join rolls end

to end or side to side for large area covering.

10.5mm x 1.8m (13/32" x 5'11")

Flexigrid

52 2000 22mm x 50mm x 2m (7/8" x 2 3/16" x 6'6")

50mm Aluminium edging strip

60mm PVC edging strip

Green, Oxford Blue, Yellow

100mm PVC edging strip

Colours: Black, Dark Grey, Yellow

Colours: Anodised Aluminium,

45mm Aluminium edging strip

Supplied in sections of 2m (6'6") length with

Powder Coated Yellow

For joining sections of matting together side to side

Connector clips - dual purpose

or end to end. Supplied in packs of 10.

welding paste.

welding paste.

fixing screws and plugs.

Supplied in sections of 2m (6'6") length with fixing screws and plugs. Colours: Anodised Aluminium

Supplied in rolls of 10.1m (33') length with cold

Colours: Black, Dark Grey, Dark Brown, Holly

Supplied in rolls of 10.1m (33') length with cold

Vynagrip & Vynagrip Plus

-----14mm x 60mm x 10.1m (9/16" x 2 1/2" x 33')

_____ 14mm x 100mm x 10.1m (9/16" x 3 3/4" x 33')

17 \$(

15mm x 45mm x 2m (5/8" x | |3/16" x 6'6")







Snap Track 2 part snap track can be welded to join rolls end to end or side to side for large area covering. Supplied with cold welding paste.

14mm x 2.5m (9/16" x 8'2")



Small floor hook For securing sections of matting to floor. Supplied in packs of 10 with screws and plugs.

For securing sections of matting to floor.

Supplied in packs of 10 with screws and plugs.



Plastex Chex

12mm x 50mm x 500mm (1/2" x 2" x 1'8")







12mm x 50mm x 50mm $(1/2'' \times 2'' \times 2'')$



50mm PVC edging strip

50mm PVC edging strip Supplied in 50cm (1'8") lengths.

Colours: Black, Yellow

Male and female strips available. Supplied in 500mm lengths (1'8"). Colours: Black, Yellow

50mm PVC edge corner Colours: Black, Yellow

Connector clips - end to end

For joining two ends of the edging together. One lug is supplied for every two pieces of edging in the relevant colour. Colours: Black, Yellow



Colour: Dark Grey

Large floor hook

We make our matting, and that makes all the difference

When you buy Plastex matting you're also buying our extensive know-how that comes from over 45 years of designing, testing and manufacturing matting solutions for a diverse range of applications; knowledge we apply to make sure we find exactly the right solution for you.

> This is important as an incorrectly specified product may actually increase risk. For example using a mat designed for bare feet in a workplace area could potentially increase slip accidents. That's why simply picking a product from a web page may not deliver the correct solution.

Talk to Us

To make sure you get the right mat for the right reasons, talk to us and our distributors. The 45+ products within the Plastex range of matting and flooring offer "a mat for all reasons".

To make it easier for you to choose the right mat for the right reason, we've divided our range into the sections below. Simply pick the section that best suits your need, and then use the segmentation chart you'll find at the front of each section to help you make your final choice.

Workplace SLIP RESISTANT MATTING Workplace Product Index • SLIP RESISTANT MATTING н Firmagrip 10 Flexigrid Floorline 8 Workplace 7 Heronair Herongripa 9 Plastex Chex 12 13 Plastex Lok Trackgrip 14 Vynagrip 4 Barefoot 5 Vynagrip Plus and Wetside Vynagrip Modules 6 SAFETY MATTING Frontrunner Entrance Flooring Systems Multi-Purpose Specialist Full Manufacturer Warranty - Another good reason to choose Plastex All Plastex flooring and matting products will give excellent and long service. In the unlikely event that a Plastex product has a defect in workmanship, we offer a full refund or replacement warranty. The warranty periods vary depending on the product, you can find full terms and

www.plastexmatting.com/warranty.pdf

details at



www.plastexmatting.com

Plastic Extruders Ltd.

Russell Gardens, Wickford, Essex SSII 8DN, England

and and

Tel: +44 (0) 1268 571116

Plastex Matting, Inc.

120 55th Street NE Fort Payne, AL 35967 USA

Tel: +1 256 845 7725

